

# Table of Contents

Foreword	i
1 Introduction, scope of recommendation	1
1.1 General	1
1.2 Lessons learned	3
1.2.1 Polypropylene (PP) versus Polyethylene (PE)	3
1.2.2 Transportation and storage of polymer ducts	3
1.2.3 Virgin versus regrind material	3
1.2.4 Natural versus black versus coloured material	4
1.2.5 Drainage-pipe-type polymer ducts are not suitable	4
1.2.6 Electrically Isolated Tendons (EIT) allow the monitoring of tendons with polymer ducts	4
1.2.7 Experience with electrically isolated tendons	4
1.3 Scope of recommendation	4
1.4 Summary of main changes	5
References	6
2 Terms, definitions and abbreviations	8
3 General and design/detailing considerations	14
3.1 General considerations	14
3.1.1 Design strategy for durable tendons	14
3.1.2 Identifying aggressivity of the environment	15
3.1.3 Identifying exposure of structure or member	17
3.1.4 Identifying protection provided by the structure	17
3.1.5 Selecting the post-tensioning tendon Protection Level	19
3.1.6 Defining post-tensioning protection levels (PLs)	20
3.1.7 Polymer duct system assessment	22
3.2 Design considerations	22
3.2.1 Choice of polymer for ducts	22
3.2.2 Corrosion protection of tendons	23
3.2.3 Monitoring of tendons	23
3.2.4 Protection of tendons against stray currents	23
3.2.5 Fatigue	23
3.2.6 Friction losses of tendons and tendon elongation	25
3.2.7 Wear of polymer ducts	26
3.2.8 Effects of ducts on the compressive strength of concrete panels	31
3.2.9 Bond	32
3.2.10 Acceptable crack widths	34

3.2.11	Fire	36
3.2.12	Cryogenic conditions	38
3.3	Detailing considerations	39
3.3.1	Size of polymer ducts	39
3.3.2	Shape of polymer ducts	39
3.3.3	Cover to ducts, spacing of ducts	40
3.3.4	Minimum radius of tendon curvature	41
3.3.5	Duct and rebar conflicts	43
3.3.6	Permanent anchorage caps	43
3.3.7	Duct joints between precast segments	44
3.3.8	Electrically Isolated Tendons (EIT)	44
	References	46
4.	Considerations for installation and use on site	49
4.1	Prior to installation	49
4.1.1	Project specifications	49
4.1.2	Review of project specifications for polymer duct systems	49
4.1.3	Start-up meeting	52
4.1.4	Transportation and storage of polymer ducts	52
4.1.5	Project specific PT system documentation	53
4.2	During installation and concreting	55
4.2.1	Duct supports and half shells	55
4.2.2	Duct installation	55
4.2.3	Concreting	56
4.3	After concreting	57
	References	58
5.	Material requirements	59
5.1	General	59
5.2	Material specification, properties and acceptance criteria for PP and PE	59
5.3	Additional general material requirements	64
5.3.1	Material to be produced from virgin resins only	64
5.3.2	Material to be stable against UV for intended use	64
5.3.3	Material to be corrosion-resistant and durable	64
5.4	Material specifications for other polymers	64
5.5	Background information on specified test methods	65
5.5.1	OIT – oxidation induction time	65
5.5.2	ESCR – environmental-stress cracking resistance (PE only)	65
5.5.3	NCLS – Notched, constant ligament stress test (PP only)	65

5.5.4	Notched impact	65
5.5.5	Izod impact testing	66
5.5.6	HDB – hydrostatic design basis	66
5.5.7	MFR – melt mass-flow rate (also MVR – melt volume-flow rate)	66
5.5.8	Density	66
5.5.9	Flexural modulus	66
5.5.10	Tensile yield strength, elongation at yield and at break	67
5.5.11	Thermal expansion coefficient	67
	References	67
<b>6.</b>	<b>Component requirements</b>	<b>68</b>
6.1	Dimensional requirements	68
6.2	Stiffness of duct	69
6.3	Longitudinal load resistance of duct system	70
6.4	Lateral load resistance of duct	71
6.5	Flexibility of duct system	71
6.6	Leak tightness of duct system	72
6.7	Concrete pressure on duct	72
6.8	Wear resistance of duct	73
6.9	Wear resistance of duct under sustained load	75
6.10	Bond behaviour of duct	75
6.11	Precast segmental duct coupler system	76
6.12	Fracture resistance of duct system (optional test)	76
6.13	Summary	77
	References	77
<b>7.</b>	<b>System requirements</b>	<b>78</b>
7.1	Leak tightness of anchorage-duct assembly	79
7.2	EIT performance of the duct system	80
7.3	EIT performance of anchorage-duct assembly	80
7.4	Full scale duct system assembly	81
7.5	Leak tightness of assembled duct system	81
7.6	Summary	81
	References	81
<b>8.</b>	<b>Approval</b>	<b>82</b>
8.1	Approval process	82
8.2	Approval body	82
8.3	Basis for assessment	83

8.4 Documentation for approval	83
8.5 Testing for approval	84
References	84
9. Evaluation of conformity	87
9.1 General	88
9.1.1 "1+ system of attestation of conformity"	88
9.2 Tasks and responsibilities of the manufacturer	88
9.2.1 Factory-production control	88
9.2.2 Non-compliance with specifications	90
9.3 Tasks and responsibilities of independent body	90
9.3.1 Initial type testing of the products	90
9.3.2 Initial inspection of factory and factory production control	90
9.3.3 Continuous surveillance	91
9.3.4 Audit testing of samples taken at the factory	91
References	92
10. Annexes	93
Annex A Component assessment procedures	93
Annex B System assessment procedures	137
Annex C Summary of requirements, methods of verification, and acceptance criteria for polymer duct systems – Recommended specification for approval	152
References	155