

# Contents

Preface	iii
<b>0 Introduction</b>	<b>x</b>
<b>Part I - General provisions</b>	
<b>1 Scope</b>	<b>1</b>
1.1 General	1
1.2 Permissible anchor type and anchorage configurations	1
1.3 Prequalification and quality control requirements for products	9
1.4 Permissible anchor dimensions and materials	10
1.5 Permissible anchor loading	11
1.6 Permissible concrete strength	15
1.7 Permissible loading of the concrete members	15
1.8 Reliability classes	16
<b>2 Terminology</b>	<b>21</b>
2.1 Definitions	21
2.2 Indices (subscripts/superscripts)	26
2.3 Actions and resistances	28
2.4 Concrete and steel	31
2.5 Notation – dimensional	32
2.6 Greek symbols	35
2.7 Units	35
<b>3 Basis of design</b>	<b>36</b>
3.1 General	36
3.2 Required verifications	37
3.3 Design format	42
3.4 Partial factors	44
3.4.1 Partial factors for actions	44
3.4.2 Partial factors for resistance	45
3.5 Project specifications and anchor installation	48
3.5.1 Project specification	48
3.5.2 Installation	49
<b>4 Determination of action effects</b>	<b>52</b>
4.1 General	52
4.2 Effect of friction	52
4.3 Ultimate limit state	55
4.3.1 Elastic analysis	55
4.3.2 Plastic analysis	96
4.4 Serviceability limit state and fatigue	102
4.5 Seismic loading	102
<b>5 Determination of concrete condition</b>	<b>102</b>
<b>6 Verification of limit states</b>	<b>103</b>
6.1 Ultimate limit state	103
6.2 Serviceability limit state	104
6.3 Fatigue	105
6.4 Verification for load combinations including seismic actions	111
6.5 Fire	116
6.5.1 General	116
6.5.2 Partial factors	116
6.5.3 Resistance under fire exposure	117

<b>7</b>	<b>Durability</b>	<b>122</b>
<b>8</b>	<b>Provisions for ensuring the characteristic resistance of the concrete member</b>	<b>124</b>
8.1	General	124
8.2	Shear resistance of concrete member	124
8.3	Resistance to splitting forces	128
<b>Part II - Characteristic resistance of anchorages with post-installed expansion anchors, undercut anchors, screw anchors and torque-controlled bonded expansion anchors</b>		
<b>9</b>	<b>Scope</b>	<b>130</b>
<b>10</b>	<b>Ultimate limit state – elastic design approach</b>	<b>136</b>
10.1	Resistance to tension load	136
10.1.1	Required verifications	136
10.1.2	Steel failure	137
10.1.3	Pullout failure	137
10.1.4	Concrete cone failure	137
10.1.5	Splitting failure	143
10.2	Resistance to shear load	145
10.2.1	Required verifications	145
10.2.2	Steel failure	146
10.2.3	Pullout failure	148
10.2.4	Concrete pryout failure	148
10.2.5	Concrete edge failure	149
10.3	Resistance to combined tension and shear load	163
10.3.1	Anchorages far from edges, anchorages close to edges with shear resisted by front anchors	163
10.3.2	Anchorages close to edges with shear resisted by the back anchors	165
10.3.3	Anchorages loaded by a tension load and a shear load with lever arm	167
<b>11</b>	<b>Ultimate limit state – plastic design approach</b>	<b>168</b>
11.1	Field of application	168
11.2	Resistance to tension load	168
11.2.1	Steel failure	169
11.2.2	Pullout failure	169
11.2.3	Concrete cone failure	169
11.2.4	Splitting failure	169
11.3	Resistance to shear load	169
11.3.1	Required verifications	170
11.3.2	Steel failure	170
11.3.3	Concrete pryout failure	170
11.3.4	Concrete edge failure	171
11.4	Resistance to combined tension and shear load	171
<b>12</b>	<b>Serviceability limit state</b>	<b>171</b>
<b>13</b>	<b>Fatigue loading</b>	<b>172</b>
<b>14</b>	<b>Seismic loading</b>	<b>172</b>

<b>Part III - Characteristic resistance of anchorages with bonded anchors and connections with post-installed reinforcing bars</b>	
<b>15</b>	<b>General</b> <span style="float: right;"><b>173</b></span>
<b>16</b>	<b>Anchorages with bonded anchors</b> <span style="float: right;"><b>176</b></span>
16.1	Scope <span style="float: right;">176</span>
16.2	Ultimate limit state – elastic design approach <span style="float: right;">181</span>
16.2.1	Resistance to tension load <span style="float: right;">181</span>
16.2.2	Resistance to shear load <span style="float: right;">187</span>
16.2.3	Resistance to combined tension and shear load <span style="float: right;">188</span>
16.3	Ultimate limit state – plastic design approach <span style="float: right;">188</span>
16.4	Serviceability limit state <span style="float: right;">189</span>
16.5	Fatigue <span style="float: right;">189</span>
16.6	Seismic loading <span style="float: right;">189</span>
<b>17</b>	<b>Connections with post-installed reinforcing bars</b> <span style="float: right;"><b>189</b></span>
17.1	Scope <span style="float: right;">189</span>
17.2	Prequalification testing <span style="float: right;">190</span>
17.3	Design <span style="float: right;">192</span>
17.3.1	General <span style="float: right;">192</span>
17.3.2	Dimensioning of the connection <span style="float: right;">193</span>
17.4	Design for fire <span style="float: right;">194</span>
17.5	Installation and job site quality control <span style="float: right;">195</span>
<b>Part IV - Characteristic resistance of anchorages with cast-in headed anchors</b>	
<b>18</b>	<b>Scope</b> <span style="float: right;"><b>196</b></span>
<b>19</b>	<b>Ultimate limit state - elastic design approach</b> <span style="float: right;"><b>202</b></span>
19.1	Anchorages without anchor reinforcement <span style="float: right;">202</span>
19.1.1	Resistance to tension load <span style="float: right;">203</span>
19.1.2	Resistance to shear load <span style="float: right;">208</span>
19.2	Anchorages with anchor reinforcement <span style="float: right;">209</span>
19.2.1	Resistance to tension load <span style="float: right;">209</span>
19.2.2	Resistance to shear loads <span style="float: right;">214</span>
19.2.3	Resistance to combined tension and shear loads <span style="float: right;">220</span>
<b>20</b>	<b>Ultimate limit state - plastic design approach</b> <span style="float: right;"><b>221</b></span>
<b>21</b>	<b>Serviceability limit state</b> <span style="float: right;"><b>222</b></span>
<b>22</b>	<b>Fatigue loading</b> <span style="float: right;"><b>224</b></span>
<b>23</b>	<b>Seismic loading</b> <span style="float: right;"><b>224</b></span>
<b>Part V - Characteristic resistance of anchorages with cast-in anchor channels</b>	
<b>24</b>	<b>Scope</b> <span style="float: right;"><b>225</b></span>
<b>25</b>	<b>Determination of action effects</b> <span style="float: right;"><b>230</b></span>
25.1	Derivation of forces acting on anchors of anchor channels <span style="float: right;">230</span>
25.1.1	General <span style="float: right;">230</span>
25.1.2	Tension loads <span style="float: right;">230</span>
25.1.3	Shear loads <span style="float: right;">232</span>
<b>26</b>	<b>Ultimate limit state - elastic design approach</b> <span style="float: right;"><b>232</b></span>
26.1	Anchor channels without anchor reinforcement <span style="float: right;">232</span>
26.1.1	Resistance to tension loads <span style="float: right;">232</span>
26.1.2	Resistance to shear loads <span style="float: right;">241</span>
26.1.3	Resistance to combined tension and shear load <span style="float: right;">248</span>

26.2	Anchor channels with anchor reinforcement	250
26.2.1	Resistance to tension load	250
26.2.2	Resistance to shear failure	252
26.2.3	Resistance to combined tension and shear loads	254
<b>27</b>	<b>Serviceability limit state</b>	<b>255</b>
<b>28</b>	<b>Fatigue loading</b>	<b>255</b>
<b>29</b>	<b>Seismic loading</b>	<b>255</b>
	<b>References</b>	<b>257</b>